

DAS
— 9
9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 145013

April 29, 2016 10:47:09 AM

145013

Page 2

Item ID: 647.7703 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Strut Assembly
 Start Date: 5/2/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 5/27/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC5- Inspect part completeness to step on W/O	0.00							
140						(12)	16-06-15		DAS 9 9-99
QC	Memo	0.24							
Quality Control!									
150	Outsource process-Cadplate per QSI017 4.1.9.1	0.00							
150									
Outsource3	Memo	1,440.00							
Outsource process - Cad plate	Issue P/O : <u>32713</u>								
	C of C is required								
160	Receive & Inspect for Damage & Mat'l Certs	0.00							
160									
Packaging	Memo	0.24							
Packaging									
						12	DAS 6 9-99	JUN 29 2016	

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

April 29, 2016 10:47:09 AM

Page 3

Accept

Setup Start *NS1*

Stop *NS2*

Stop *NS2*

Cust Item ID:

Customer:

Reference:

Run Start *NR1*

Stop *NR2*

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code
---------	--------	-----------

Accept Qty	Reject Qty	Reject Number	Insp. Stamp

170

QC5- Inspect part completeness to step on W/O

0.00

170

QC

Memo

0.24

Quality Control

180

0.00

180

SprayPaint

Memo

0.00

Spray Painting

PRIOR TO PRIME MASK THREAD AND PRIME AS PER DWG

PRIMER BATCH: 134100

12

DAS
41
9-89

16-7-4

190

QC14- Inspect Spray Paint

0.00

190

QC

Memo

0.00

Quality Control

12

DAS
38
9-89

JUL 05 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 145013

April 29, 2016 10:47:09 AM

145013

Page 4

Item ID: 647.7703

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Strut Assembly

Stop ***NS2***

Start Date: 5/2/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 5/27/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

200

Identify as per dwg & Stock Location: **CC114**

0.00

200

Packaging

Memo

0.12

Packaging

210

QC21- Final Inspection - Work Order Release

0.00

210

QC

Memo

1.20

Quality Control

12

JUL 05 2016

16/7/6

DAS
21 JUL 06 2016
9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

April 29, 2016 10:47:14 AM

Page 1

Work Order ID: 145013

145013

Parent Item: 647.7703

647 7703

Parent Item Name: Strut Assembly

Start Date: 5/2/2016

Required Date: 5/27/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP REV:A 15.01.07 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
647.7712 *647 7712* Strut Tube		Manufactured	No				Each	19.0000		12			DAG 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				CCK114				19					
				140985				19					
647.7713 *647 7713* Strut Thread		Manufactured	No				Each	18.0000		12			DAG 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				CCK114				18					
				141018				18					
647.7714 *647 7714* Strut Tube		Manufactured	No				Each	27.0000		12			DAG 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				CCK114				5					
				140219				5					
				WA001				22					
				136690				2					
				141911				20					

MAY 18 2016



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):

A-ADD
R-REVISE

C-CREATE
D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES
- 6 IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH

20160503
SA 145013

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED:					
☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY			DER REVIEW REQUIRED		
☐ MAJOR ☐ MINOR			☐ YES ☐ NO		

1. MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
2. MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
3. MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
4. FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
7. WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
8. FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
9. MASK THREAD PRIOR TO FINISH










REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
	LAST PROTOTYPE REVISION PRI		N/C
N/C	WITAL RELEASE	12/02/09	P. BRAVO
A	INCORPORATED ECH 04741	11/10/14	P. BRAVO

UNINCORPORATED ECN(S)

05110

1		5	647.7714	STRUT TUBE	△	
1	1	1	647.7713	STRUT THREAD	△	△
1	1	1	647.7712	STRUT TUBE	△	
	1	2	647.7711	STRUT TUBE	△	
	1	1	647.7710	STRUT TUBE	△	
△	△		647.7703	STRUT ASSY		△△
	△		647.7702	STRUT ASSY		△△
	△		647.7701	STRUT ASSY		△△
7703	7702	7701	FIND #	PART #	DESCRIPTION	SPEC.
QTY			PART LIST			
NEXT ASSY (S)			PREPARED DATE: 11/03/01 DRAWN BY: J. JACOBSON CHECKED BY: J. JACOBSON DRAWING APPROVAL: [Signature] PROJECT NO.: 647-7700			
647.7300			APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300			
646.4000			STRUT ASSY SIZE 1/2"X4"X4"X4" 1300L INCH B 07416 SCALF: NONE			
ORDER CHANGES SPECIFIED DIMENSIONS AND WEIGHTS 2 PLACES DECIMALS ±0.1 3 PLACES DECIMALS ±0.05 ANGLES ±.5°			REV. A 647.7700 SHEET 1 OF 2			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



1/4 - 28 THREAD

(FORMAL DATE) (MO-DA-YR) 11/03/00 DRAWN BY: J. JACKSON CHECKED BY: D. BARKER DRAWING APPROVAL: P. BRAY CONTRACT NO.:		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)794-5300	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACES DECIMALS: ±.01 2 PLACES DECIMALS: ±.005 ANGLES: ±.5°		SEE CAGE CODE: 8 D7M16	DPK. NO.: 647.7700 REV. A
SCALE: NONE		SHEET 2 OF 2	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32713

Purchase Order Date 6/15/2016

PO Print Date 6/15/2016

Page Number 1 of 2

Order From : VC-ALT01

GROUP ALTECH
2455 HALPERN

ST LAURENT, MONTREAL H4S 1N9

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 514-335-3666

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

Buyer Linda Lacelle
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FOB Origin

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	145013	647.7703	6/22/2016		12.00	\$14.75	\$177.00
			No				
			6/22/2016				

Cad Plating is to be done per QQ-P-416F Class I Type II.
PLEASE NOTE: HYDROGEN EMBRITTLEMENT IS INCLUDED IN PRICING PER UNIT

Line Total: \$177.00

2	146722	647.7701	6/22/2016		6.00	\$14.75	\$88.50
			No				
			6/22/2016				

Cad Plating is to be done per QQ-P-416F Class I Type II.
PLEASE NOTE: HYDROGEN EMBRITTLEMENT IS INCLUDED IN PRICING PER UNIT

Line Total: \$88.50

3	146723	647.7702	6/22/2016		11.00	\$14.75	\$162.25
			No				
			6/22/2016				

Cad Plating is to be done per QQ-P-416F Class I Type II.
PLEASE NOTE: HYDROGEN EMBRITTLEMENT IS INCLUDED IN PRICING PER UNIT

10/16/29
SP

Note:

6/15/2016



2455, Halpern, Saint-Laurent, QUÉBEC, H4S 1N9
Tel.: (514) 335-3666 Fax.: (514) 335-3868
Internet : www.groupaltech.com

**Bon de livraison / Packing Slip
et / and
Certificat de conformité / Certificate of Compliance**

Bon-Livraison / Pk.Slip # : 119108-1 28/06/2016
Bon-Commande. / W.Order # : 119108
Client P.O. # : 32713
Transport :

Envoyé à / Ship to

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO, CANADA K6A 1K7

Commandé par / Order by

DART AEROSPACE LTD (1427)
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO, CANADA K6A 1K7

#	No. Job No. Réf	NoSerie / Part Number Nom Produit / Product	Traitement Process	Poids Weight	Qté Qty	Envoyé Sent	A venir BO
1	UNIT	647.7703 Rev.	CADMIUM YELLOW PER QQ-P-416F TY:2 CL:1 + HYDROGEN ENBRITALMENT RELIEF (BAKE)	0.00	12	12	0
2	UNIT	647.7701 Rev.	CADMIUM YELLOW PER QQ-P-416F TY:2 CL:1 + HYDROGEN ENBRITALMENT RELIEF (BAKE)	0.00	6	6	0
3	UNIT	647.7702 Rev.	CADMIUM YELLOW PER QQ-P-416F TY:2 CL:1 + HYDROGEN ENBRITALMENT RELIEF (BAKE)	0.00	11	11	0

16/6/29
Jef

Notes Additionnelles / Additional Notes

Epaisseur réelle
Actual Thickness

Inspecteur Qualité
Quality Inspector

Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.
We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
Our financial and legal responsibility will not be higher than the amount of invoice.

eddie

Page: 1